## DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

## APPLICATION FOR A VARIANCE FROM 21 CFR 1040.11(c) FOR A LASER LIGHT SHOW, DISPLAY, OR DEVICE

Form Approved: OMB No. 0910-0025 Expiration Date: December 31, 2006 See Page 4 for OMB Statement.

DOCKET NUMBER

			OR DEVICE					
	ser light show, projection system, or de- cation in accordance with 21 CFR 1010.	4.		1(c) in design	or use without the approval of this			
requeste 2. Submit a	1. Check a applicable boxes and type or print the requested information. 2. Submit an original and four (4) copies.  INSTRUCTIONS 3. Mail your application to the Dockets Management Branch (HFA-305), Food and Drug Administration, Rm 1061, 5630 Fishers Lane, Rockville, MD 20852. 4. Enter docket number if assigned.							
1. NAME O								
	○ Magic LLC							
2. ADDRES OF COMPANY (Include ZIP Code)(If P.O. Box is used, include actual street address also.)								
PO 4130	Wayne, NJ, 07474-4130 2	02 Otterhole Road, W	est Milford, NJ 07480					
3. NAME AN	D TITLE OF RESPONSIBLE PERSON		4. TELEPHONE NO. (Inclu	de area code	5. DATE OF SUBMISSION			
Dr. Davi I Volpe, Director of Research and Development			(973) 283-9006 09/09/2005					
6. THE APPLICANT REQUESTS THE VARIANCE TO BE IN EFFECT FOR A PERIOD OF 2 YEARS FROM THE DATE OF ISSUE. (In general, tre Agency will approve a variance for only two years. If a longer period is requested, a justification must be attached as part of the application.)								
					ones as part of the appropriation,			
7.	IT AND OD MODEL AND IDED ON FOR		RIPTION AND USE					
	E AND/OR MODEL NUMBER(S) FOR	THE LASER LIGHT SH	OW(S) AND PROJECTOR(S	3)	, >			
	G0-0704							
b. PRODUC	T FOR WHICH A VARIANCE IS REQU	ESTED	f. PRODUCT IS INTEND	DED TO BE U	SED AT ANY ONE LOCATION			
□ A a	aser display device		More than 15 da	ays	. :			
<b>Z</b> A ·	rojector for a laser light show		More than 5 but	More than 5 but not more than 15 days				
	aser light show		Less than 5 day		* *			
	ner (Specify)		g. TOUR IS INTENDED		,			
	ECTORS ARE INTENDED FOR SALE,	LEASE OR LOAN TO	More than 6 mo		```			
	R LASER LIGHT SHOW PRODUCERS	LEASE, OR LOAN TO		a turis	, and the second se			
			1-6 months	-				
d. PRODUC	T IS INTENDED FOR USE IN A		Less than one r					
☐ Pl	netarium or other dome projection struct	ture	☐ Not applicable (	(Not a tour)	r			
☐ Th	eater		Other (Specify)	ydda wagaan ah ah ah ah ah ah ah ah				
☐ Hc	tel/motel ballroom or meeting room		h. PRODUCT UTILIZES	h. PRODUCT UTILIZES THE FOLLOWING LASER EFFECTS				
-	ore displays		Front screen pro	oiections				
☐ Trade show or convention			Rear screen pro	-				
			Holographic dis	•				
☐ Di∋cotheque or night club					- £6 A			
☐ P⊱ vilion			Multiple reflection					
☐ In ∶oor arena			Audience scanr	ning (Also inci	ludes scanning any accessible			
☐ O⊹tdoor arena			uncontrolled are	eas)				
M seum			Reflections from	n stationary m	nirrors or mirrored			
O⊲tdoor unenclosed area			surfaces (Beam Matrices)					
<b>☑</b> o∷	ner (Specify) auditoriums and gyms	,	Stationary irrad	Stationary irradiation of rotating mirror balls, etc.				
e. PRODUC	T IS INTENDED TO BE USED		1 === '	Scanning irradiation of rotating mirror balls, etc.				
	only one (Fixed) location		1	Fiber optic projections				
	a variety of (Tour) locations		1 - ' ' '		ng enhancement effects			
	• • •		and the same of th	Other Scattern	ng enhancement enects			
LIO	ner (Specify)		Other (Specify)					
8.			ATION LEVELS	·				
LAS	ER MEDIUM (Ar, He-Ne, etc.)	WAVE LE	NGTHS (nm)		PEAK POWER (watts)			
Argon		476, 488, 514 nm		0.1 W				
Diode		650		0.1 W				
9. IF ANY I	SER RADIATION IS PUI SED OR SCAN	NED. GIVE THE PURSE	DURATION AND RATE AN	ID SCANNING	G FREQUENCY AND AMPLITUDE			
9. IF ANY LASER RADIATION IS PULSED OR SCANNED, GIVE THE PULSE DURATION AND RATE AND SCANNING FREQUENCY AND AMPLITUDE  Laser scanning: 26000 pps (~25 Hz), <40 degree full scan angle								
20051/-0207								
10. REASCN FOR REQUESTING VARIANCE								
Compliance with the limits of 21 CFR 1040.11(c) would restrict the intended use of the product because compliance would limit the output power to the extent that the desired effects would not be sufficiently visible								
Other or additional explanation (Specify)								

11. MANNE? IN WHICH IT IS PROPOSED TO DEVATE FROM THE REQUIREMENTS OF THE APPLICABLE STANDARD  It its proposed to deviate from the provisions of 21 CFR 1040.11(c) in that the accessible emission level would exceed the accessible emission limits specified in 21 CFR 1040.11(c) as follows:  12. ADVANTAGES TO BE DERIVED FROM SUCH DEVIATION    Lear-light shows and displays are accepted popular media in entertainment and the arts. Use of power levels in excess of the limits imposed by 21 CFR 1040.11(c) is necessary to achieve the required effects in these media.    Cther or additional advantages (describe and explain).    Other or additional advantages (describe and explain).    13. EXPLAI:1 THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes as apply. In item 14 "Remarks." justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)   a.	
It is proposed to deviate from the provisions of 21 CFR 1040.11(c) as follows:    12. ADVANTAGES TO BE DERIVED FROM SUCH DEVIATION	-
12. ADVANTAGES TO BE DERIVED FROM SUCH DEVIATION  ✓ Leser light shows and displays are accepted popular media in entertainment and the arts. Use of power levels in excess of the limits imposed by 21 CFR 1040.11(c) is necessary to achieve the required effects in these media.  ✓ Other or additional advantages (describe and explain).  13. EXPLAINTHE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes as apply, In item 14 "Remarks." justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)  a. ☑ All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be accomplished prior to any introduction into commerce.  b. ☑ Effects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the variance has been obtained and the required reports or supplements, as applicable, have been submitted.  c. ☑ Scanning, projection, or reflection of laser and collateral radiation (Light show radiation) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d. ☑ Laser radiation levels in excess of the limits of Class I will not be permitted to stand or 2.5 meters below or in lateral separation from any place will see such persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will see that one persons of the train operators, performers, and employees will not be required or allowed to view radiation above the limits specified in 21 CFR 1040.11(c).  e. ☑ Arry product which relies on scanning to meet access, exposure, or product class limits	-
<ul> <li>☑ Leser light shows and displays are accepted popular media in entertainment and the arts. Use of power levels in excess of the limits imposed by 21 CFR 1040.11(c) is necessary to achieve the required effects in these media.</li> <li>☐ Other or additional advantages (describe and explain).</li> <li>13. EXPLAL THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes as apply. In item 14 "Remarks." justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)</li> <li>a. ☑ All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be accomplished prior to any introduction into commerce.</li> <li>b. ☑ Effects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the veriance has been obtained and the required reports or supplements, as applicable, have been submitted.</li> <li>c. ☑ Scanning, projection, or reflection of laser and collateral radiation (Light show radiation) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.</li> <li>d. ☑ Leser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will ere such persons are permitted to be. Operators, performers, and employees will into the required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).</li> <li>e. ☑</li></ul>	,
<ul> <li>☑ Leser light shows and displays are accepted popular media in entertainment and the arts. Use of power levels in excess of the limits imposed by 21 CFR 1040.11(c) is necessary to achieve the required effects in these media.</li> <li>☐ Other or additional advantages (describe and explain).</li> <li>13. EXPLAL THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes as apply. In item 14 "Remarks." justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)</li> <li>a. ☑ All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be accomplished prior to any introduction into commerce.</li> <li>b. ☑ Effects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the veriance has been obtained and the required reports or supplements, as applicable, have been submitted.</li> <li>c. ☑ Scanning, projection, or reflection of laser and collateral radiation (Light show radiation) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.</li> <li>d. ☑ Leser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will ere such persons are permitted to be. Operators, performers, and employees will into the required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).</li> <li>e. ☑</li></ul>	,
of the limits imposed by 21 CFR 1040.11(c) is necessary to achieve the required effects in these media.  Other or additional advantages (describe and explain).  3. EXPLAI: THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes as apply. In item 14 "Remarks." justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)  a. All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be accomplished prior to any introduction into commerce.  b. Eletests not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the variance has been obtained and the required reports or supplements, as applicable, have been submitted.  c. Scanning, projection, or reflection of laser and collateral radiation (Light show radiation) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d. Eleser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place wire es such persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  Any product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applic	,
<ul> <li>13. EXPLAI: THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (Check as many boxes as apply. In Item 14 "Remarks." Justify a "y boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)</li> <li>a. Zi All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be ac complished prior to any introduction into commerce.</li> <li>b. Zi Effects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the variance has been obtained and the required reports or supplements, as applicable, have been submitted.</li> <li>c. Zi Scanning, projection, or reflection of laser and collateral radiation (<i>Light show radiation</i>) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.</li> <li>d. Zi Laser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will result persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).</li> <li>e. Zi Ary product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.</li> <li>f. Zi Al laser light shows shall be under the direct and personal contr</li></ul>	F
justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)  a.  All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be accomplished prior to any introduction into commerce.  b.  Eriects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the variance has been obtained and the required reports or supplements, as applicable, have been submitted.  c.  Scanning, projection, or reflection of laser and collateral radiation ( <i>Light show radiation</i> ) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d.  Laser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will except persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  e.  Any product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f.  An laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1) Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2) Be located whe	,
justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)  a.  All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be accomplished prior to any introduction into commerce.  b.  Eriects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the variance has been obtained and the required reports or supplements, as applicable, have been submitted.  c.  Scanning, projection, or reflection of laser and collateral radiation ( <i>Light show radiation</i> ) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d.  Laser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will except persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  e.  Any product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f.  An laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1) Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2) Be located whe	7
justify any boxes not checked, using additional sheets as necessary. State any other means of radiation protection that will be used.)  a.  All laser products, systems, shows, and projectors will be certified to comply with 21 CFR 1040.10 and the conditions of this variance and will be reported as required by 21 CFR 1002.10 AND 1002.11 using the reporting guides provided for such purpose. These actions will be accomplished prior to any introduction into commerce.  b.  Eriects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the variance has been obtained and the required reports or supplements, as applicable, have been submitted.  c.  Scanning, projection, or reflection of laser and collateral radiation ( <i>Light show radiation</i> ) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d.  Laser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will except persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  e.  Any product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f.  An laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1) Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2) Be located whe	,
<ul> <li>a.</li></ul>	
b.  Effects not specifically indicated in this variance application will not be performed. No other effects will be added until an amendment to the variance has been obtained and the required reports or supplements, as applicable, have been submitted.  c.  Scanning, projection, or reflection of laser and collateral radiation ( <i>Light show radiation</i> ) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d.  Leser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place where such persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  e.  Ary product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f.  Al laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1 Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2 Be located where all beam paths can be directly observed at all times; and  (3) Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.	H
variance has been obtained and the required reports or supplements, as applicable, have been submitted.  c. Scanning, projection, or reflection of laser and collateral radiation (Light show radiation) into audience or other accessible uncontrolled areas will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d. Leser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3:0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place wire such persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  e. Ary product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f. Al laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1 Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2 Be located where all beam paths can be directly observed at all times; and  (3) Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.	
will not be permitted except for diffuse reflections produced by the atmosphere, added atmospheric scattering media, and target screens.  d.  Laser radiation levels in excess of the limits of Class I will not be permitted at any point less than 3.0 meters above any surface upon which persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will ere such persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  e.  Any product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f.  At laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1 Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2 Be located where all beam paths can be directly observed at all times; and  (3) Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.	
persons other than operators, performers, or employees are permitted to stand or 2.5 meters below or in lateral separation from any place will ere such persons are permitted to be. Operators, performers, and employees will not be required or allowed to view radiation above the limits of Class I or be exposed to radiation above the limits specified in 21 CFR 1040.11(c).  e. Any product which relies on scanning to meet access, exposure, or product class limits will incorporate a scanning safeguard system which directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f. At laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1 Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2 Be located where all beam paths can be directly observed at all times; and  (3 Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.	i
directly senses scanner motion and which will react fast enough to preclude exceeding the applicable limit.  f. Al laser light shows shall be under the direct and personal control of trained, competent operator(s). The operator(s) will:  (1 Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;  (2 Be located where all beam paths can be directly observed at all times; and  (3 Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.	
<ul> <li>(1 Be an employee of the variance holder who will be responsible for the training and the conduct of the operator;</li> <li>(2) Be located where all beam paths can be directly observed at all times; and</li> <li>(3) Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.</li> </ul>	
<ul><li>(2) Be located where all beam paths can be directly observed at all times; and</li><li>(3) Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.</li></ul>	
(3) Immediately terminate the emission of light show radiation in the event of any unsafe condition; or, for outdoor shows, upon request by any air traffic control officials.	
by any air traffic control officials.	
g. 🗹 The maximum laser projector output power will not exceed the level required to obtain the intended effects.	
h. The projection system (i.e., the projector and all other components used to produce the lighting effects) will be securely mounted or immobilized to prevent unintended movement or misalignment. Beam masking will be provided as an inherent part of the system design to prevent overfilling of screens, beam stops, targets, etc.	
i. 🔀 Laser projectors will not be delivered to any other party under an agreement of sale, lease, or loan unless and until the recipient demonstrate that they have a variance in effect at the time of delivery that permits them to produce laser light shows incorporating such projector(s).	98
j. In addition to the requirements of 21 CFR 1040.10(h), the manufacturer of laser projectors/systems will provide to parties who purchase, least or borrow the equipment, adequate users' instructions for safe installation and operation which explain the responsibility of the recipient as a independent light show manufacturer to submit the required reports and apply for and obtain a variance from CDRH prior to introduction into commerce of any laser light shows.	in
k. The requirements of 21 CFR 1002.30(a)(1) and (2) will be accomplished through the use of written procedures for setup, alignment, testing, and performance of each show. These procedures will be in sufficient detail to ensure compliance with 21 CFR 1040.10, the conditions of this variance, and the control of access to radiation areas using the procedures described in the ANSIZ136.1 standard for the safe use of lasers (American National Standards Institute, 1430 Broadway, New York, NY 10018) or any other equivalent user consensus standard and, where applicable, state or local requirements. Laser radiation areas which can contain radiation levels above the limits specified in 21 CFR 1040.11 will be clearly identified by the posting of warning signs and/or restricting access through physical means (such as pressure switches, photo cells, barriers, guards, etc.). These requirements apply to temporary areas (such as during set up and alignment procedures) and to final or permanent areas. The variance holder will retain the records of these procedures and the results of all tests as required by 21 CFR 1002.31, copy of the variance application, the approval letter, current procedures, and records relating to each particular show will be with the operator or other responsible individual and will be made available for inspection by FDA and other responsible authorities.	e 1(c) . A

- I. Advance written notification will be made as early as possible to appropriate federal, state, and local authorities providing show itinerary with dates and locations clearly and completely identified, and a basic description of the proposed effects including a statement of the maximum power output intended. Such notifications will be made, but not necessarily be limited, to:
  - (1) The Center for Devices and Radiological Health, Office of Compliance (HFZ-342), 2098 Gaither Road, Rockville, MD 20850, providing the initial and closing dates for fixed installations and the itinerary for mobile shows. In addition, unless all aspects of each show have been reported and accession numbers clearly referenced, each notice will include detailed descriptions of each show and a listing of all effects to be performed in sufficient detail to confirm compliance with the regulations and this variance.
  - (2) The Federal Aviation Administration (FAA) for any projections into open airspace at any time (i.e., including set up, alignment, rehearsals, performances, etc.). If the FAA objects to any laser effects, the objections will be resolved and any conditions requested by FAA will be adhered to. If these conditions cannot be met, the objectionable effects will be deleted from the show
  - (3) State and local radiation control offices/agencies for all shows to be performed within their jurisdictions. All requirements of state and local law will be satisfied and any objections raised by local authorities will be resolved or the effects deleted. (A list of federal and state offices is available from the Center for Devices and Radiological Health upon request.)

11	DEMAG	40

## CERTIFICATION

I CER IFY that all of the above information and statements are true, complete, and correct to the best of my knowledge and acknowledge that my variance application may be denied or my variance may be revoked if this application is found to be false, misleading or incorrect in any material way. I have submitted and will submit all reports required by 21 CFR 1002.10 and 1002.11 on the laser equipment and show(s). I further understand that I may be required by regulation or by the Director, Center for Devices and Radiological Health, to supply such other information as may be necessary to evaluate and act on this application.

15. SIGNATURE

16. NAME (Type or Print)

17. TITLE

Dr. David Volpe

Director of Research and Development